	Application No.	Applicant(s)
Notice of Allowability	, -	
	09/863,935	AKTAS ET AL.
	Examiner	Art Unit
	James S. Wozniak	2626
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the request for continued examination filed on 8/18/2006.		
2. The allowed claim(s) is/are <u>1-3, 7-11, and 15-16 (now 1-10)</u> .		
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☐ All b) ☐ Some* c) ☐ None of the:		
1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
.4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
		, .
Attachment(s) 1. Notice of References Cited (PTO-892)	5.	atent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary	(PTO-413),
3. ☑ Information Disclosure Statements (PTO/SB/08),	Paper No./Mail Dat 7. ☐ Examiner's Amendm	e nent/Comment
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit		nt of Reasons for Allowance
of Biological Material	9. ☐ Other	

Application/Control Number: 09/863,935

Art Unit: 2626

DETAILED ACTION

1. In response to the notice of allowance mailed on 5/25/2006, the applicant has submitted a request for continued examination and information disclosure statement (IDS), which were both filed on 8/18/2006. Upon consideration of the IDS, the examiner notes that claims 1-3, 7-11, and 15-16 are allowable over the prior art of record for the reasons below.

Information Disclosure Statement

2. The information disclosure statement (IDS) submitted on 8/18/2006 has been considered by the examiner.

Allowable Subject Matter

- 3. Claims 1-3, 7-11, and 15-16 are allowable over the prior art of record.
- 4. The following is an examiner's statement of reasons for allowance:

Claims 1-3, 7-11, and 15-16 are allowable over the prior art of record for the reasons set forth in the notice of allowance mailed on 5/25/2006.

Additional pertinent prior art:

Obradovich et al (U.S. Patent Publication: 2002/0013815) discloses a system for message prioritization that contains a list of user-selected keywords for each sender profile (Paragraphs 71-73). Obradovich, however, discloses that the plurality of keywords in each list

Application/Control Number: 09/863,935

Art Unit: 2626

is only used for prioritization and not for summarizing a message as is recited in the presently claimed invention. Further, Obradovich makes no suggestion that such sender-based keyword lists can be used for summarization. Obradovich is also silent on message conversion based on priority and a plurality of media converters, as is recited in the presently claimed invention.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to James S. Wozniak whose telephone number is (571) 272-7632. The examiner can normally be reached on M-Th, 7:30-5:00, F, 7:30-4, Off Alternate Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Hudspeth can be reached at (571) 272-7843. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

James S. Wozniak 10/30/2006

DAVID HUDSPETH
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2800